

兔抗 VCP 多克隆抗体

中文名称：兔抗 VCP 多克隆抗体

英文名称：Anti-VCP rabbit polyclonal antibody

别名：p97; TERA; ALS14; IBMPFD; HEL-220; IBMPFD1; HEL-S-70

相关类别：一抗

抗原：VCP

储存：冷冻 (-20℃)

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | The protein encoded by this gene is a member of a family that includes putative ATP-binding proteins involved in vesicle transport and fusion, 26S proteasome function, and assembly of peroxisomes. This protein, as a structural protein, is associated with clathrin, and heat-shock protein Hsc70, to form a complex. It has been implicated in a number of cellular events that are regulated during mitosis, including homotypic membrane fusion, spindle pole body function, and ubiquitin-dependent protein degradation. |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | VCP |

| | |
|------------------------------------|--|
| Immunogen: | Fusion protein of human VCP |
| Full name: | valosin containing protein |
| Synonyms: | p97; TERA; ALS14; IBMPFD; HEL-220; IBMPFD 1; HEL-S-70 |
| SwissProt: | P55072 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human prostate cancer and human tonsil |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 89 kDa |
| WB Positive control: | Jurkat , HEPG2 , A431 , A549 , Hela and 231 cell lysates |
| WB Recommended dilution: | 500-2000 |



